



D-1651E-2009

**Proven, sophisticated, comfortable**

DRÄGER X-PLORE® 1300



ST-190-2009

## Proven comfort, sophisticated ideas, safe respiratory protection

For over 100 years Dräger has followed the philosophy "Breathe easy and work safely" when developing respiratory protection equipment. The new Dräger X-plore® 1300 series is proof of this philosophy – the successful combination of proven protection combined with modern technology to excel today's standards.

We listened to the demands of respiratory protection users in a wide range of industries and turned your requirements into intelligent solutions users will appreciate. The Dräger X-plore 1300 is the perfect combination of established respiratory protection, proven comfort, and sophisticated, new ideas.

Regardless if a face piece is worn for a minute or for hours, the longer the use, the more important the comfort. Safety engineers around the world have confirmed: if respiratory protection is not comfortable to wear and easy to handle, it will not be used.

Dräger X-plore 1300 is the modern generation of pre-formed face pieces offering exactly what it takes: Straight-forward easy handling, excellent comfort and, thanks to its CoolSAFE™ filter material, effective protection against fine dust and particles to meet the needs of users in a wide range of applications. Simply sophisticated.

# Dräger X-Plore® 1300



## The Dräger X-plore® 1300 at a glance

With the Dräger X-plore 1300® series, users can choose between face pieces in all three EN protection classes: FFP1, FFP2 and FFP3. All face pieces are available with the CoolMAX™ exhalation valve for additional comfort. Odour stopping versions, containing an activated carbon layer are ideal for users that battle with unpleasant nuisance odours. All versions meet the increased requirements of the new EN 149:2001+A1:2009 standard.

### DRÄGER X-PLORE® 1310: FFP1



D-6413-2009

Dräger X-plore 1310

### DRÄGER X-PLORE® 1320: FFP2



D-6415-2009

Dräger X-plore 1320

### DRÄGER X-PLORE® 1330: FFP3



D-6430-2009

Dräger X-plore 1330 V S/M



D-6414-2009

Dräger X-plore 1310 V



D-6416-2009

Dräger X-plore 1320 V



D-6430-2009

Dräger X-plore 1330 V M/L



D-6417-2009

Dräger X-plore 1320 V Odour



D-6418-2009

Dräger X-plore 1330 V Odour

# Proven respiratory protection with intelligent solutions

## CoolSAFE™ filter material

Performance that makes a difference: CoolSAFE™ filter material produced from high-performance filter media combines low breathing resistance and high filter performance in one mask. The material also exceeds the challenging dolomite dust test requirements.

## Flexible nose clip

Ensures a great fit in the most critical area.

## Nose seal

Safe sealing in the most critical area: all face pieces are equipped with special nose seal. It is sweat-absorbing, comfortable and most importantly ensures an effective seal around the nose.

## Formed mask body

Proven, ergonomic, stable: The special design and shape of the mask body offers comfortable and secure fitting to faces with a wide variety of shapes and sizes. The masks can be donned quickly and easily. The interior volume ensures wearing comfort along with easy communication. Inside, the mask body is specially reinforced, thus ensuring dimensional stability throughout long periods of time.



D-6416-2209

## VarioFLEX™ head harness with EasyStop

Easy to don/doff and adjust with a pressure-free fit: This continuous loop head harness is constructed from a robust, tear-proof textile strap. In contrast to other face pieces, no clips are required – preventing uncomfortable pressure and allergic reactions. The head harness can be donned/doffed easily and quickly, and without hair entanglement. Thanks to EasyStop, the head harness can easily be adjusted to fit various head sizes while sitting comfortably and safely.

## CoolMAX™ exhalation valve (optional)

Breathe easy and comfortably with extremely low breathing resistance. The exhalation valve releases humid and warm air, preventing heat build-up underneath the mask, allowing you to stay cool while working hard.

## Hypoallergenic inner layer

Comfortable to wear: the hypoallergenic inner layer is easy on your skin and gives the user added comfort even when used for longer periods of time.

## Color coding

Fast recognition without confusion: the color coded nose clip and valve classify the three EN protection levels dark-blue (FFP1), light-blue (FFP2) and white (FFP3). Providing easy recognition when selecting the right mask.

## Special features of Dräger X-plore® 1330



D-6424-2009

Dräger X-plore 1330 FFP3

### – Practical and comfortable:

The VarioFLEX™ head harness with a four-point adjustment and extra-wide textile straps ensures the best possible fit.

### – Quick and easy to use:

The straps are arranged for fast donning. An integrated safeguard prevents straps from slipping out of place.

### – Secure and comfortable:

Integrated, all-around comfort sealing.

### – Clean and hygienic:

Each face piece is individually packaged in its own plastic bag.

### – Individually adjustable:

Available in two different sizes S/M and M/L – the right size for different face shapes.





D-5266-2009



D-1885-2009



D-16517-2009



D-6419-2009

**COOLSAFE™ FILTER MATERIAL**

The specially engineered CoolSAFE™ filter material combines various high-performance filter media to achieve an excellent filter performance. Coarse and fine particles are effectively stopped in the various filter layers. At the same time, breathing resistance remains very low, allowing the user to work easily for longer periods.

In addition, the face pieces were tested according to the increased requirements of the (optional) dolomite dust test. Their resistance to clogging under high exposure to dust was successfully tested. During activities with high exposure to dust (e.g. mining), this gives the face pieces a longer service life and reduces costs for the user, while maintaining a high degree of wearing comfort.



D-6414-2009

**COOLMAX™ EXHALATION VALVE**


Small details, big effect: the CoolMAX™ exhalation valve was engineered to optimally guide the exhaled air out of the face piece. The extremely low breathing resistance keeps breathing easy. Effective exhalation of humid and warm air successfully prevents heat build-up under the face piece. The result: the user enjoys the highest levels of breathing comfort.



D-6426-2009  
D-6432-2009  
D-6431-2009

**EFFECTIVE SEAL**

Alongside the material's performance, an effective seal without leakage is decisive in how effective the masks' protection really is. Depending on the protection level, the face pieces are equipped with a soft foam nose pad (FFP1), a large comfort sealing strip (FFP2) or a complete all-around comfort seal (FFP3). The combination of inner seal and nose clip holds the mask effectively in place in the critical area around the nose. Fits, sits and seals securely.



D-6417-2009

D-6418-2009

**ACTIVATED CARBON FILTER AGAINST NUISANCE ODOURS**

Odour-stopping versions are equipped with an additional activated carbon layer, which filters out nuisance odours and unpleasant smells. Making breathing easy and more comfortable in industries where nuisance odours are present (e.g. recycling and waste separation).



## INFORMATION ON USAGE

Protection class	Multiple <sup>1)</sup> of limit value <sup>2)</sup>	Fields of application and restrictions on use
FFP1	4	Against solid and liquid particles, however <b>not</b> against carcinogenic and radioactive materials, airborne biological substances from risk groups 2 and 3, and enzymes <sup>3)</sup>
FFP2	10	Against solid and liquid particles, however <b>not</b> against radioactive materials, airborne biological substances from risk group 3, and enzymes <sup>3)</sup>
FFP3	30	Against solid and liquid particles, and <b>also</b> against radioactive materials, airborne biological substances from risk group 3, and enzymes <sup>3)</sup> Not approved in Australia.

<sup>1)</sup> in accordance with EN 529:2005, amendments by national regulations are possible

<sup>2)</sup> maximum permitted concentration of harmful substances specified by country

<sup>3)</sup> if necessary, strict observance of differing national regulations

## ORDER INFORMATION

Dräger X-plore® 1300	Marking	Items per Box	Order No.
Dräger X-plore® 1310	FFP1 NR D	20	39 51 211
Dräger X-plore® 1310 V	FFP1 NR D	10	39 51 212
Dräger X-plore® 1320	FFP2 NR D	20	39 51 213
Dräger X-plore® 1320 V	FFP2 NR D	10	39 51 214
Dräger X-plore® 1320 V Odour <sup>1)</sup>	FFP2 NR D	10	39 51 215
Dräger X-plore® 1330 V S/M	FFP3 NR D	5	39 51 216
Dräger X-plore® 1330 V M/L	FFP3 NR D	5	39 51 217
Dräger X-plore® 1330 V Odour <sup>1)</sup>	FFP3 NR D	5	39 51 218

<sup>1)</sup> Additional carbon layer against nuisance odours below the limit value

## TECHNICAL DATA

Dräger X-plore® 1300	
Filter material	CoolSAFE™ for protection against solid and liquid non-volatile particles
Odour versions	With additional activated carbon layer against nuisance organic odours below the limit value
Approvals	All versions meet the conditions of the EU guideline 89/686/EWG and are permitted as particle filtering half masks in accordance to the increased requirements of the revision of EN 149:2001+A1:2009 (test of filter performance for aerosol exposure with 120 mg paraffin oil). Australian Standard AS/NZS 1716:2003 certified (SAI Global)
Marking D	Successfully passed the dolomite dust test against clogging
Marking NR	The mask can only be used for a maximum of one work shift


**APPLICATION INFORMATION**

Activity	Type of particles	Filter class
<b>Woodworking</b>		
Sanding – hardwood, softwood	Fine particles, wood dust	FFP2
Woodcutting – hardwood, softwood	Fine particles, wood dust	FFP2
Wood staining (stain containing copper or chrome)	Fine paint mists	FFP3
Paint removal	Fine paint particles	FFP2
Paint removal, (paints containing chrome)	Fine paint particles	FFP3
<b>Sanding/Grinding</b>		
Rust/corrosion removal	Rust/corrosion and metal dust	FFP2
Masonry/concrete	Stone dust	FFP2
Hard- and softwood	Wood dust	FFP2
Synthetics/Plastics	Synthetic dust	FFP2
Painting	Paint particles	FFP2
Painting, (paints containing chrome)	Paint particles	FFP3
Iron/steel	Metalurgical dust	FFP2
Stainless steel	Metalurgical dust	FFP3
Adhesive removal	Fine dust	FFP2
<b>Construction and mining</b>		
Painting with watersoluble paints	Large paint particles	FFP2
Sprayable varnish	Paint mists	FFP2
Demolition	General dust	FFP2
Foundation setting	Concrete dust	FFP1
Concrete handling	Concrete dust	FFP1
Concrete pouring	Fine plaster dust	FFP2
Woodworking	Wood dust – soft and hard	FFP2
Insulation installation	Dust and fibres	FFP1
Roofing and tiling	Roof and tile dust	FFP2
<b>Metal processing</b>		
Zink	Zink/general metalurgical fumes	FFP3 Odour
Aluminium	Aluminiumoxide fumes	FFP3 Odour
Stainless steel	Metal oxide fumes	FFP3 Odour
Manual arc welding	Sparks, fumes	FFP3 Odour
Laser welding	Sparks, fumes	FFP3 Odour
Hard soldering	Fumes	FFP2 Odour
Drilling	Metalurgical dust	FFP1
Sawing	Metalurgical dust	FFP1
<b>Waste disposal</b>		
Waste disposal	Dust	FFP3 Odour
Cleaning tasks in low-level dust environments	Dust (non-toxic)	FFP2 Odour
Sweeping grounds	Dust (non-toxic)	FFP2 Odour
Disposal of waste and sewage	Bacteria/funghi	FFP2 Odour
Disposal of medical waste	Bacteria/virus	FFP3 Odour

Welding\*

\*For concentrations of harmful gases (e.g. O<sub>3</sub>, NO<sub>x</sub>) below limit values.

This guide does not release the user from the obligation to comply with national applications and laws, for example the BGR 190 in Germany. Please always read the instruction manual provided with the products.



ST-2553-2004

**Woodworking**



ST-2584-2004

**Sanding**



ST-2585-2004

**Construction and mining**



ST-3060-2004

**Welding**



ST-2586-2004

**Waste disposal**

**HEADQUARTERS:**

Dräger Safety AG & Co. KGaA  
Revalstrasse 1  
23560 Lübeck, Germany

[www.draeger.com](http://www.draeger.com)

**SUBSIDIARIES:****AUSTRALIA**

Draeger Safety Pacific Pty. Ltd.  
Axxess Corporate Park  
Unit 99, 45 Gilby Road  
Mt. Waverley, Vic. 3149  
Tel +61 3 92 65 50 00  
Fax +61 3 92 65 50 95

**CANADA**

Draeger Canada Ltd.  
7555 Danbro Crescent  
Mississauga, Ontario L5N 6P9  
Tel +1 905 821 89 88  
Fax +1 905 821 25 65

**P. R. CHINA**

Beijing Fortune Draeger  
Safety Equipment Co., Ltd.  
Yu An Lu A 22, B Area  
Beijing Tianzhu Airport  
Industrial Zone  
Houshayu Shunyi District  
Beijing 101300  
Tel +86 10 80 49 80 00  
Fax +86 10 80 49 80 05

**FRANCE**

Dräger Safety France SAS  
3c route de la Fédération, BP 80141  
67025 Strasbourg Cedex 1  
Tel +33 3 88 40 59 29  
Fax +33 3 88 40 76 67

**MEXICO**

Draeger Safety S.A. de C.V.  
Av. Peñuelas No. 5  
Bodega No. 37  
Fraccionamiento Industrial  
San Pedrito  
Querétaro, Qro México  
Tel +52 442 246-1113  
Fax +52 442 246-1114

**NETHERLANDS**

Dräger Safety Nederland B.V.  
Edisonstraat 53  
2700 AH Zoetermeer  
Tel +31 79 344 46 66  
Fax +31 79 344 47 90

**REP. OF SOUTH AFRICA**

Dräger South Africa (Pty) Ltd.  
P.O.Box 68601  
Bryanston 2021  
Tel +27 11 465 99 59  
Fax +27 11 465 69 53

**SINGAPORE**

Draeger Safety Asia Pte. Ltd.  
67 Ayer Rajah Crescent # 06 03  
139950 Singapore  
Tel +65 68 72 92 88  
Fax +65 67 73 20 33

**SPAIN**

Draeger Safety Hispania S.A.  
Calle Xaudaró 5  
28034 Madrid  
Tel +34 91 728 34 00  
Fax +34 91 729 48 99

**UNITED KINGDOM**

Draeger Safety UK Ltd.  
Blyth Riverside Business Park  
Blyth, Northumberland NE24 4RG  
Tel +44 1670 352-891  
Fax +44 1670 356-266

**USA**

Draeger Safety, Inc.  
101 Technology Drive  
Pittsburgh, PA 15275  
Tel +1 412 787 83 83  
Fax +1 412 787 22 07